FRS DATA ELEMENT NAME	XML Tag Name	FRS DATA ELEMENT DEFINITION	FORMAT			
Facility Site  Basic identification information	Facility Site  Basic identification information for a facility site, including the facility registry identifier, geographic address, and geopolitical descriptors.					
Facility Registry Identifier	FacilityRegistryIdentifier	The identification number assigned by the EPA Facility Registry System to uniquely identify a facility site.	A(12)			
Facility Site Name	FacilitySiteName	The public or commercial name of a facility site (i.e., the full name that commonly appears on invoices, signs, or other business documents, or as assigned by the state when the name is ambiguous).	A(80)			
Location Address	LocationAddressText	The address that describes the physical (geographic) location of the front door or main entrance of a facility site, including urban-style street address or rural address.	A(50)			
Supplemental Location Text	SupplementalLocationText	The text that provides additional information about a place, including a building name with its secondary unit and number, an industrial park name, an installation name or descriptive text where no formal address is available.	A(50)			
Locality Name	LocalityName	The name of the city, town, village or other locality, when identifiable, within whose boundaries (the majority of) the facility site is located. This is not always the same as the city used for USPS mail delivery.	A(60)			
County and State FIPS Code	CountyStateFIPSCode	The code that represents the county or county equivalent and the state or state equivalent of the United States.	A(5)			
County Name	CountyName	The name of the U.S. county or county equivalent in which the facility site is physically located.	A(35)			
State USPS Code	StateUSPSCode	The U.S. Postal Service abbreviation that represents the state or state equivalent for the U.S. and Canada.	A(2)			

FRS DATA ELEMENT NAME	XML Tag Name	FRS DATA ELEMENT DEFINITION	FORMAT
State Name	StateName	The name of a principal administrative subdivision of the United States, Canada, or Mexico.	A(35)
Country Name	CountryName	The name that represents a primary geopolitical unit of the world.  *Default: USA*	A(44)
Location ZIP Code	LocationZIPCode	The combination of the 5-digit Zone Improvement Plan (ZIP) code and the four-digit extension code (if available) that represents the geographic segment that is a subunit of the ZIP Code, assigned by the U.S. Postal Service to a geographic location; or the postal zone specific to the country, other than the U.S., where the facility site is located.	A(14)
Location Description	LocationDescriptionText	A brief explanation of where the facility site is located, including navigational directions and/or more descriptive information about the location of the facility site.	A(256)
Federal Facility Indicator Code	FederalFacilityIndicator	Code indicating whether or not the facility is the property of the Federal Government.  Allowable Values:  Value Meaning Y Yes, the facility is the property of the Federal Government.  No, the facility is not the property of the Federal Government.	A(1)
Federal Agency Code	FederalAgencyCode	The Federal Agency/Bureau code. The five character code consists of a letter followed by four numbers. There are four possible letters that can occupy the first character position: 'C' for Civilian Federal Agency; 'D' for Department of Defense; 'E' for Department of Energy; 'X' for Unknown. The second and third characters represent the agency code, while the fourth and fifth characters represent the bureau code.	A(5)

FRS DATA ELEMENT NAME	XML Tag Name	FRS DATA ELEMENT DEFINITION	FORMAT
Tribal Land Indicator Code	TribalLandIndicator	Code indicating whether or not the facility site is located on tribal land.	A(1)
Tribal Land Name	TribalLandName	The name of an American Indian or Alaskan native area where the facility site is located.	A(200)
Congressional District Number	CongressionalDistrictNumber	The number that represents a Congressional District for a state within the United States.	A(2)
Legislative District Number	LegislativeDistrictNumber	The number that represents a Legislative District within a state.	A(2)
Hydrologic Cataloging Unit (HUC) Code	HUCCode	The hydrologic unit code (HUC) that represents a geographic area representing part or all of a surface drainage basin, a combination of drainage basins, or a distinct hydrologic feature.	A(8)
Airshed Code	AirshedCode	An area of varying size that is dependent on a single air mass and that is uniformly affected by the same sources of air pollution.	A(5)
Census Block Code	CensusBlockCode	The smallest entity for which the Census Bureau collects and tabulates decennial census information; bounded on all sides by visible and nonvisible features shown on Census Bureau maps.	A(15)
EPA Region Code	EPARegionCode	The code that represents an EPA region.	A(2)
Facility Site Type Name	FacilitySiteTypeName	The descriptive name for the type of site the facility occupies.  Allowable Values:  Stationary Contaminated Site  Mobile Contamination Addressed  Monitoring Station Potentially Contaminated Site  Water System	A(40)

FRS DATA ELEMENT NAME	XML Tag Name	FRS DATA ELEMENT DEFINITION	FORMAT
Environmental Interest Status Code	EnvironmentalInterestStatusCode	The status of the facility in relation to regulatory interest.  Allowable Values: 'Y' or N'	A(1)
Small Business Indicator	SmallBusinessIndicator	Code indicating whether or not a business is requesting relief under EPA's Small Business Policy, which applies to businesses having less than 100 employees.	A(1)
Environmental Justice Code	EnvironmentalJusticeCode	The code that identifies the type of environmental justice concern affecting the facility or enforcement action.	A(3)
Confidence Indicator	ConfidenceIndicator	The level of confidence (i.e., High, Medium, Low) in the facility identification data which is based on the quality of the address data and whether or not the data has been verified by a data steward.	A(10)
Data Quality Code	DataQualityCode	A code assigned by the automated integration process to indicate whether the address data are missing, invalid, or non-standard.	A(20)
Geocoded Latitude Measure	GeocodedLatitudeMeasure	The measure of the angular distance on a meridian north or south of the equator, derived by geocoding (i.e., calculating a coordinate value for an entity based on the reported full location address for that entity). The measure of the angular distance on a meridian east or west of the prime meridian, derived by geocoding (i.e., calculating a coordinate value for an entity based on the reported full location address for that entity).	N(9,6)
Geocoded Longitude Measure	GeocodedLongitudeMeasure	The measure of the angular distance on a meridian east or west of the prime meridian, derived by geocoding (i.e., calculating a coordinate value for an entity based on the reported full location address for that entity).	N(10,6)
Horizontal Accuracy Measure	HorizontalAccuracyMeasure	The measure of the accuracy (in meters) of the geocoded latitude and longitude coordinates.	N(6,2)

FRS DATA ELEMENT NAME	XML Tag Name	FRS DATA ELEMENT DEFINITION	FORMAT
Last Reported Date	LastReportedDate	The most recent date the corresponding facility site data was reported to the Source of Data.	Date
Sensitive Indicator	SensitiveIndicator	Indicates whether or not the associated data is enforcement sensitive.	A(1)
Public Indicator	PublicIndicator	Indicates whether or not the associated data is accessible by the public on the internet.	A(1)
Parent Facility Registry Identifier	ParentFacilityRegistryIdentifier	The unique identification number, assigned by the EPA Facility Registry System, to the parent facility site (e.g., the SDWIS water system).	A(12)
ICIS Identifier	ICISIdentifier	An internal system identifier assigned by the Integrated Compliance Information System (ICIS) to uniquely identify this facility site record.	N
Data Element Source The source of the facility si			
Data Source Name	DataSourceName	The name of the source used to obtain or verify the site identification information.	A(50)
Data Element Name	DataElementName	The name(s) of the data elements for which the data source provided or verified values.	A(600)
Sensitive Indicator	SensitiveIndicator	Indicates whether or not the associated data is enforcement sensitive.	A(1)
Public Indicator	PublicIndicator	Indicates whether or not the associated data is accessible by the public on the internet.	A(1)

FRS DATA ELEMENT NAME	XML Tag Name	FRS DATA ELEMENT DE	EFINITION	FORMAT
<b>Environmental Inte</b>	erest			
The environmental permits	and regulatory programs that apply to the	e facility site.		
Environmental Interest	EnvironmentalInterestTypeText	^	or regulatory program that applies to the facility	A(60)
Type		site.	Alog)	
		Allowable Values: (examp		
		<u>Value</u>	Meaning Toxic Polocce Inventory Percent	
		TRI Reporter	Toxic Release Inventory Report	
		NPDES Major	Clean Water Act NPDES Major	
		NPDES Non-Major	Clean Water Act NPDES Minor	
		Air Major	Clean Air Act Stationary Source Major	
		Air Synthetic Minor	Clean Air Act Stationary Source Synthetic	
			Minor	
		Air Minor	Clean Air Act Stationary Source Minor	
		TSD	Hazardous Waste Handler - Treatment, Storage,	
			Disposal (TSD)	
		LQG	Hazardous Waste Handler - Large Quantity	
			Generator (LQG)	
		SQG	Hazardous Waste Handler - Small Quantity	
			Generator (SQG)	
		CESQG	Hazardous Waste Handler - Conditionally	
			Exempt Small Quantity Generator (CESQG)	
		Transporter	Hazardous Waste Handler - Transporter	
		UIC	Underground Injection Control Well (UIC)	
		UST	Underground Storage Tank (UST)	
		Superfund	Comprehensive Environmental Response,	
			Compensation, and Liability Act (CERCLA) Site	
		Superfund NPL	CERCLA National Priorities List (NPL) Site	

FRS DATA ELEMENT NAME	XML Tag Name	FRS DATA ELEN	MENT DEFINITION	FORMAT
Environmental Information System Abbreviated Name	InformationSystemAcronymName		amme that represents the name of an information  em for an environmental program.  : (examples)  Meaning  Toxic Chemical Release Inventory System Resource Conservation Recovery Act Information System Permit Compliance System Comprehensive Environmental Response, Compensation and Liability Information System Safe Drinking Water Information System Enforcement Docket System National Compliance Data Base Biennial Reporting System Aerometric Information Retrieval System/AIRS Facility Subsystem AIRS Air Quality Subsystem Nebraska Integrated Information System Pennsylvania Environment, Facility, Application, Compliance Tracking System	A(20)
Environmental Information System Identification Number	InformationSystemIdentifier	information mana	South Carolina Environmental Facility Information System  number, such as the permit number, assigned by an gement system that represents a facility site, waste site, other feature tracked by that Environmental Information	A(30)

FRS DATA ELEMENT NAME	XML Tag Name	FRS DATA ELEMENT DEFINITION	FORMAT
Federal/State Source Indicator	FederalStateInterestIndicator	A flag which indicates whether the environmental interest data was provided by a federal or state environmental information system.  *Allowable Values: 'F' or 'S'	A(1)
Environmental Interest Start Date	EnvironmentalInterestStartDate	Date the agency became interested in the facility site for a particular environmental interest type (MMDDYYYY).	Date
Environmental Interest Start Date Qualifier	InterestStartDateQualifierText	The qualifier that specifies the meaning of the date being used as an approximation for the environmental interest start date.  *Allowable Values: (examples)  First Reporting Year Date of First Report  Date Operations Commenced Date Permit Issued  Date of Permit Application Date Monitoring Started	A(50)
Environmental Interest End Date	EnvironmentalInterestEndDate	Date the agency ceased to be interested in the facility site for a particular environmental interest type (MMDDYYYY).	Date
Environmental Interest End Date Qualifier	InterestEndDateQualifierText	The qualifier that specifies the meaning of the date being used as an approximation for the environmental interest end date.  **Allowable Values: (examples)*  Date Last Submission Received Date of Last Report Date Permit Ended Date Operations Ended	A(50)
Source of Data	DataSourceName	The source of the associated environmental interest data.	A(25)
Last Reported Date	LastReportedDate	The most recent date the corresponding environmental interest data was reported to the Source of Data.	Date
Sensitive Indicator	SensitiveIndicator	Indicates whether or not the associated data is enforcement sensitive.	A(1)

FRS DATA ELEMENT NAME	XML Tag Name	FRS DATA ELEMENT DEFINITION	FORMAT
Public Indicator	PublicIndicator	Indicates whether or not the associated data is accessible by the public on the internet.	A(1)
Alternative Name An alternative, historic or	program-specific name for the facility	site.	
Alternative Name	AlternativeName	An alternative, historic or program-specific name for the facility site.	A(80)
Alternative Name Type	AlternativeNameTypeText	The type of the alternative, historical, or program-specific name for the facility site (e.g., primary, legal, historical, local) .	A(25)
Source of Data	DataSourceName	The source of the associated alternative name data.	A(25)
Last Reported Date	LastReprotedDate	The most recent date the corresponding alternative namedata was reported to the Source of Data.	Date
Sensitive Indicator	SensitiveIndicator	Indicates whether or not the associated data is enforcement sensitive.	A(1)
Public Indicator	PublicIndicator	Indicates whether or not the associated data is accessible by the public on the internet.	A(1)
Alternative Identif		rmation management system for an environmental program.	·
Alternative Identifier Type	AlternativeIdentifierType	The type of alternative identification number (e.g., CDS, STATE PERMIT NUMBER), or the abbreviated name of the environmental information system that references the alternative identification number (e.g., TRIS, PCS).	A(30)
Alternative Identifier	AlternativeIdentifier	An alternative identification number maintained by an information management system for an environmental program.	A(30)

FRS DATA ELEMENT NAME	XML Tag Name	FRS DATA ELEMENT DEFINITION	FORMAT
Source of Data	DataSourceName	The source of the associated alternative identification data.	A(25)
Last Reported Date	LastReportedDate	The most recent date the corresponding alternative identification data was reported to the Source of Data.	Date
Sensitive Indicator	SensitiveIndicator	Indicates whether or not the associated data is enforcement sensitive.	A(1)
Public Indicator	PublicIndicator	Indicates whether or not the associated data is accessible by the public on the internet.	A(1)
		coordinates used to locate a facility site, usually the front door or centroid,	
Latitude Measure	LatitudeMeasure	The measure of the angular distance on a meridian north or south of the equator.	A(6) - A(10) DD.dddd dd
Longitude Measure	LongitudeMeasure	The measure of the angular distance on a meridian east or west of the prime meridian.	A(7) - A(11) DDD.ddd ddd
Horizontal Accuracy Measure	HorizontalAccuracyMeasure	The measure of the accuracy (in meters) of the latitude and longitude coordinates.	A(6) in meters
Geometric Type (Textual Dat	a or Code Data acceptable)		
Code	GeometricTypeCode	The code that represents the geometric entity represented by one point or a sequence of latitude and longitude points.	A(3)

FRS DATA ELEMENT NAME	XML Tag Name	FRS DATA ELEMENT DEFINITION	FORMAT
Name	GeometricTypeName	The name that identifies the geometric entity represented by one point or a sequence of latitude and longitude points.	A(6)
Horizontal Collection Method	l (Textual Data or Code Data acceptable)		
Code	HorizontalCollectionMethodCode	The code that represents the method used to determine the latitude and longitude coordinates for a point on the earth.	A(3)
Text	HorizontalCollectionMethodText	The text that describes the method used to determine the latitude and longitude coordinates for a point on the earth.	A(60)
Horizontal Reference Datum	(Textual Data or Code Data acceptable)		
Code	HorizontalReferenceMethodCode	The code that represents the reference datum used in determining latitude and longitude coordinates.	A(3)
Name	HorizontalReferenceDatumName	The name that describes the reference datum used in determining latitude and longitude coordinates.	A(7)
Reference Point (Textual Date	a or Code Data acceptable)		
Code	ReferencePointCode	The code that represents the place for which geographic coordinates were established.	A(3)
Text	ReferencePointText	The text that identifies the place for which geographic coordinates were established.	A(60)
Source Map Scale Number	SourceMapScaleNumber	The number that represents the proportional distance on the ground for one unit of measure on the map or photo.  *Remarks: Mandatory for all horizontal data collection methods except for methods using Global Positioning System (GPS).	A(10)

FRS DATA ELEMENT NAME	XML Tag Name	FRS DATA ELEMENT DEFINITION	FORMAT
Data Collection Date	DataCollectionDate	The calendar data when data were collected.	Date (YYYYM MDD)
Coordinate Data Source (Tex	xtual Data or Code Data acceptable)		
Code	CoordinateDataSourceCode	The code that represents the party responsible for providing the latitude and longitude coordinates.	A(3)
Name	CoordinateDataSourceName	The name of the party responsible for providing the latitude and longitude coordinates.	A(35)
Location Comments Text	LocationCommentsText	The text that provides additional information about the geographic coordinates.	A(150)
Vertical Measure	VerticalMeasure	The measure of elevation (i.e., the altitude), in meters, above or below a reference datum.	A(10) in meters
Vertical Collection Method (	Textual Data or Code Data acceptable)		
Code	VerticalCollectionMethodCode	The code that represents the method used to collect the vertical measure (i.e., the altitude) of a reference point.	A(3)
Text	VerticalCollectionMethodText	The text that describes the method used to collect the vertical measure (i.e., the altitude) of a reference point.	A(60)
Vertical Reference Datum (T	Fextual Data or Code Data acceptable)		
Code	VerticalReferenceDatumCode	The code that represents the reference datum used to determine the vertical measure (i.e., the altitude).	A(3)

FRS DATA ELEMENT NAME	XML Tag Name	FRS DATA ELEMENT DEFINITION	FORMAT
Name	VerticalReferenceDatumName	The name of the reference datum used to determine the vertical measure (i.e., the altitude).	A(17)
Vertical Accuracy Measure	VerticalAccuracyMeasure	The measure of the accuracy (in meters) of the vertical measure (i.e., the altitude) of a reference point.	A(8) in meters
Sub-Entity Identification Number	SubEntityIdentifier	The identification number for an operable unit or sub-unit of a facility site.	A(30)
Sub-Entity Type Name	SubEntityTypeName	The code that represents the type of operable unit, or sub-unit of a facility site (i.e., stack, sampling point).	A(4)
Source of Data	DataSourceName	The source of the associated geographic coordinates data.	A(25)
Last Reported Date	LastReportedDate	The most recent date the corresponding geographic coordinates data was reported to the Source of Data.	Date
Sensitive Indicator	SensitiveIndicator	Indicates whether or not the associated data is enforcement sensitive.	A(1)
Public Indicator	PublicIndicator	Indicates whether or not the associated data is accessible by the public on the internet.	A(1)

#### Affiliation

The relationship between a facility site and an organization and/or an individual person.

FRS DATA ELEMENT NAME	XML Tag Name	FRS DATA ELEMENT DEFINITION	FORMAT
Affiliation Type	AffiliationTypeText	The name that describes the capacity or function that an organization or individual serves for a facility site.  Allowable Values (examples):  Organization Legally Responsible Entity Report Certifier Legal Operator Regulatory Contact Waste Treater Public Contact Waste Handler Land Owner Owner Operator Owner/Operator	A (40)
Affiliation Start Date	AffiliationStartDate	The date on which the affiliation between the facility site and the organization and/or individual person began (MMDDYYYY).	Date
Affiliation End Date	AffiliationEndDate	The date on which the affiliation between the facility site and the organization and/or individual person ended (MMDDYYYY).	Date
Source of Data	DataSourceName	The source of the associated affiliation data.	A(25)
Last Reported Date	LastReportedDate	The most recent date the corresponding affiliation data was reported to the Source of Data.	Date
Sensitive Indicator	SensitiveIndicator	Indicates whether or not the associated data is enforcement sensitive.	A(1)
Public Indicator	PublicIndicator	Indicates whether or not the associated data is accessible by the public on the internet.	A(1)

#### Organization

A company, government body, or other type of organization that has some responsibility or role at the Facility Site.

FRS DATA ELEMENT NAME	XML Tag Name	FRS DATA ELEMENT DEFINITION	FORMAT
Organization Identifier	OrganizationIdentifier	A system-generated number that uniquely identifies an organization.	A(12)
Organization Formal Name	OrganizationFormalName	The legal, formal name of an organization that is affiliated with the facility site.	A(80)
Organization DUNS Number	OrganizationDUNSNumber	The Data Universal Numbering System (DUNS) number assigned by Dun and Bradstreet to identify unique business establishments.	A(9)
Organization Type	OrganizationTypeText	The type of organization.  Allowable Values (examples):  Federal Private  GOCO County  District Indian  Municipal Other  State	A(10)
Company Division Name	CompanyDivisionName	The name of a division or a department of a company.	A(50)
E-mail Address Text	EmailAddressText	The text that describes an electronic mail address of an organization.	A(120)
Telephone Number	TelephoneNumber	The primary telephone number for an organization.	A(30)
FAX Number	FAXNumber	The telephone number to which a facsimile can be sent to an organization.	A(30)
Alternate Telephone Number	AlternateTelephoneNumber	An alternate telephone number for an organization.	A(30)
Employer Identification Number	EmployeeIdentifier	The unique tax identification number issued by the Internal Revenue Service to the employer.	A(14)
State Business Identification Number	StateBusinessIdentifier	The uniform business number assigned to an official business by a state.	A(30)

FRS DATA ELEMENT NAME	XML Tag Name	FRS DATA ELEMENT DEFINITION	FORMAT
Ultimate Parent Name	UltimateParentName	The legal, formal name of the ultimate parent company of the organization affiliated with the facility site.	A(50)
Ultimate Parent DUNS Number	UltimateParentDUNSNumber	The Data Universal Numbering System (DUNS) number assigned by Dun and Bradstreet to identify unique business establishments, in this case the ultimate U.S. parent company of the organization affiliated with the facility site	A(9)
Source of Data	DataSourceName	The source of the associated organization data.	A(25)
Last Reported Date	LastReportedDate	The most recent date the corresponding organization interest data was reported to the Source of Data.	Date
Sensitive Indicator	SensitiveIndicator	Indicates whether or not the associated data is enforcement sensitive.	A(1)
Public Indicator	PublicIndicator	Indicates whether or not the associated data is accessible by the public on the internet.	A(1)
Individual An individual person who ha	as some responsibility or role at the faci	lity site.	
Individual Identifier	IndividualIdentifier	A system-generated number that uniquely identifies an individual person.	A(12)
Individual Full Name	IndividualFullName	The complete name of a person, including first name, middle name or initial, and surname.	A(70)
Individual Title Text	IndividualTitleText	The title held by a person in an organization.	A(40)
Company Division Name	CompanyDivisionName	The name of a division or a department of a company.	A(50)
E-mail Address Text	EmailAddress	The text that describes an electronic mail address of an individual person.	A(120)

FRS DATA ELEMENT NAME	XML Tag Name	FRS DATA ELEMENT DEFINITION	FORMAT
Telephone Number	TelephoneNumber	The primary telephone number of an individual person.	A(30)
FAX Number	FAXNumber	The telephone number to which a facsimile can be sent to an individual person.	A(30)
Alternate Telephone Number	AlternateTelephone	An alternate telephone number for an individual person.	A(30)
Source of Data	DataSourceName	The source of the associated individual data.	A(25)
Last Reported Date	LastReportedDate	The most recent date the corresponding individual data was reported to the Source of Data.	Date
Sensitive Indicator	SensitiveIndicator	Indicates whether or not the associated data is enforcement sensitive.	A(1)
Public Indicator	PublicIndicator	Indicates whether or not the associated data is accessible by the public on the internet.	A(1)
Mailing Address The standard address used to	send mail to an individual or organization	affiliated with the facility site.	
Mailing Address Identifier	MailingAddressIdentifier	A system-generated number that uniquely identifies a mailing address.	A(12)
Mailing Address	MailingAddressText	The exact address where a mail piece is intended to be delivered, including urban-style street address, rural route, and PO Box.	A(50)
Supplemental Address Text	SupplementalAddressText	The text that provides additional information to facilitate the delivery of a mail piece, including building name, secondary units, and mail stop or local box numbers not serviced by the U.S. Postal Service.	A(50)

FRS DATA ELEMENT NAME	XML Tag Name	FRS DATA ELEMENT DEFINITION	FORMAT
Mailing Address City Name	MailingAddressCityName	The name of the city, town, or village where the mail is delivered.	A(30)
Mailing Address State USPS Code	MailingAddressStateUSPSCode	The U.S. Postal Service abbreviation that represents the state or state equivalent for the U.S. and Canada.	A(2)
Mailing Address State Name	MailingAddressStateName	The name of the state where mail is delivered.	A(35)
Mailing Address Country Name	MailingAddressCountryName	The name of the country where the addressee is located.  *Default: United States*	A(44)
Mailing Address ZIP Code	MailingAddressZIPCode	The combination of the 5-digit Zone Improvement Plan (ZIP) code and the four-digit extension code (if available) that represents the geographic segment that is a subunit of the ZIP Code, assigned by the U.S. Postal Service to a geographic location to facilitate mail delivery; or the postal zone specific to the country, other than the U.S., where the mail is delivered.	A(14)
Source of Data	DataSourceName	The source of the associated mailing address data.	A(25)
Last Reported Date	LastReportedDate	The most recent date the corresponding mailing address data was reported to the Source of Data.	Date
Sensitive Indicator	SensitiveIndicator	Indicates whether or not the associated data is enforcement sensitive.	A(1)
Public Indicator	PublicIndicator	Indicates whether or not the associated data is accessible by the public on the internet.	A(1)

#### **Standard Industrial Classification**

Definition:

The Standard Industrial Classification (SIC), or type of business activity, occurring at the facility site.

FRS DATA ELEMENT NAME	XML Tag Name	FRS DATA ELEMENT DEFINITION	FORMAT
Standard Industrial Classification (SIC) Code	SICCode	The code that represents the economic activity of a company (4-digits).	A(4)
SIC Primary Indicator	SICPrimaryIndicator	The name that indicates whether the associated SIC Code represents the primary activity occurring at the facility site.  Allowable Values:  Value  Meaning  Primary  The SIC Code represents the primary activity occurring at the facility site.  Secondary  The SIC Code represents a secondary activity occurring at the facility site.  Unknown  It is not known whether the SIC Code represents the primary or secondary activity at the facility site.	A(10)
Source of Data	DataSourceName	The source of the associated SIC data.	A(25)
Last Reported Date	LastReportedDate	The most recent date the corresponding SIC data was reported to the Source of Data.	Date
Sensitive Indicator	SensitiveIndicator	Indicates whether or not the associated data is enforcement sensitive.	A(1)
Public Indicator	PublicIndicator	Indicates whether or not the associated data is accessible by the public on the internet.	A(1)

#### **North American Industry Classification**

The North American Industry Classification System (NAICS) code, or type of industrial activity, occurring at the facility site.

FRS DATA ELEMENT NAME	XML Tag Name	FRS DATA ELEMENT DEFINITION	FORMAT
North American U.S. National Industry Classification System (NAICS) Code	NAICSCode	The code that represents a subdivision of an industry that accommodates user needs in the United States (6-digits).	A(6)
NAICS Primary Indicator	NAICSPrimaryIndicator	The name that indicates whether the associated NAICS Code represents the primary activity occurring at the facility site.  Allowable Values:  Value  Meaning  Primary  The NAICS Code represents the primary activity occurring at the facility site.  Secondary  The NAICS Code represents a secondary activity occurring at the facility site.  Unknown  It is not known whether the NAICS Code represents the primary or secondary activity at the facility site.	A(10)
Source of Data	DataSourceName	The source of the associated NAICS data.	A(25)
Last Reported Date	LastReportedDate	The most recent date the corresponding NAICS data was reported to the Source of Data.	Date
Sensitive Indicator	SensitiveIndicator	Indicates whether or not the associated data is enforcement sensitive.	A(1)
Public Indicator	PublicIndicator	Indicates whether or not the associated data is accessible by the public on the internet.	A(1)

FRS DATA ELEMENT NAME	XML Tag Name	FRS DATA ELEME	NT DEFINITION	FORMAT
Supplemental Enviro	nmental Interest			
* *	tal permits and regulatory programs that a al program interests include state program		e or the environmental interest at the facility site. For the orcement programs, and general permits.	
Supplemental Interest ID	SupplementalInterestID	A system-generated record.	number that uniquely identifies a supplemental interest	N
Supplemental Environmental Interest Type	SupplementalEnvironmentalType	the facility site or the purposes of FRS, su compliance and enfo	e environmental permit or regulatory program that applies to e environmental interest at the facility site. For the pplemental program interests include state programs, rement programs, and general permits (e.g., 'Formal', 'EPCRA', 'Refuse Disposal', 'NPDES Permit').	A(60)
Supplemental Environmental Information System Abbreviated Name	SupplementalEnvironmentalInform ationSystemAbbreviatedName	management system	-	A(20)

FRS DATA ELEMENT NAME	XML Tag Name	FRS DATA ELEMENT DEFINITION	FORMAT
Supplemental Environmental Information System Identification Number	SupplementalEnvironmentalInform ationSystemIdentificationNumber	The identification number, such as the permit number, assigned by an information management system that represents a facility site, waste site, operable unit, or other feature tracked by that Environmental Information System.	A(30)
Start Date	StartDate	Date the agency became interested in the facility site for a particular environmental interest type (MMDDYYYY).	Date
Start Date Qualifier	StartDateQualifier	The qualifier that specifies the meaning of the date being used as an approximation for the environmental interest start date.  Allowable Values: (examples)  First Reporting Year Date of First Report Date Operations Commenced Date Permit Issued Date of Permit Application Date Monitoring Started	A(50)
End Date	EndDate	Date the agency ceased to be interested in the facility site for a particular environmental interest type (MMDDYYYY).	Date
End Date Qualifier	EndDateQualifier	The qualifier that specifies the meaning of the date being used as an approximation for the environmental interest end date.  *Allowable Values: (examples)*  Date Last Submission Received Date of Last Report Date Permit Ended Date Operations Ended	A(50)
Source of Data	DataSourceName	The source of the associated supplemental interest data.	A(25)
Last Reported Date	LastReportedDate	The most recent date the corresponding supplemental interest data was reported to the Source of Data.	Date
Reported Supplemental Interest Type	ReportedSupplementalInterestType	The name of the environmental permit or regulatory program, as reported by the supplemental information system.	A(60)

FRS DATA ELEMENT NAME	XML Tag Name	FRS DATA ELEMENT DEFINITION	FORMAT
Sensitive Indicator	SensitiveIndicator	Indicates whether or not the associated data is enforcement sensitive.	A(1)
Public Indicator	PublicIndicator	Indicates whether or not the associated data is accessible by the public on the internet.	A(1)
Service Area The geographic areas serve	ed by the site (i.e., the cities and co	ounties served by a water system).	
Area Type	AreaType	The type of geographic area, based upon geopolitical boundaries (e.g., 'COUNTY', 'CITY').	A(15)
Area Name	AreaNmae	The name of the geographic area (e.g., county name, city name).	A(60)
Source of Data	DataSourceName	The source of the associated data.	A(25)
Last Reported Date	LastReportedDate	The most recent date the corresponding data was reported to the Source of Data.	Date
Sensitive Indicator	SensitiveIndicator	Indicates whether or not the associated data is enforcement sensitive.	A(1)
Public Indicator	PublicIndicator	Indicates whether or not the associated data is accessible by the public on the internet.	A(1)